Water Add Kit LED

Items Included in the Kit

Unpack the kit and review its contents.

Label the Sensor Cable(s): Label both ends of the cable using colored tape or zip ties to identify its function when routed to the Hub.

Recommendations: Yellow – Slump Hydraulic Sensor Red – Drum Sensor (Drum 1) Green – Drum Sensor (Drum 2) Blue – Water Add Flow Meter White - Washout Switch

Flow Meter - UFM Kit Quantity: 1 DF Part Number: WATER-100

M12 Cordset, 15M (5 wire) Cable Kit Quantity: 1 DF Part Number: GEN-100

Male Terminals DF Part Number: GEN-110

Female Terminals DF Part Number: GEN-101

1" SS Hose Clamps Kit Quantity: 3 DF Part Number: WATER-102

Tools for the Job (not included)

- #2 Phillips screwdriver (or screw gun with #2 • Phillips end)
- Flat screwdriver (or screw gun with flat end) •
- Hose cutter
- Cable stripper (nice to have)
- Wire crimpers
- Wire strippers
- Side cutters

Additional Items Needed (not included)

- Grommets, bushings, hole plugs (to pass • wiring through dash/firewall)
- Wire ties
- Colored tape (to mark cables)







Installation – Water Add Kit LED

The Flow Meter is installed in the water add line going into the drum. This allows the driver and dispatch to monitor water added to the batch of concrete.

During Installation You Will:



INSTALLATION

- Step 1. Before starting—color code each end of the sensor cable to identify its function when routed to the hub (blue recommended for Flow Meter).
- Step 2. Engine must be off, but leave battery connected.
- **Step 3.** Start installation above the water add valve in the 1" water hose going to the drum.

Important: Vibration can cause false readings—install sensor where it will NOT vibrate against any object or surface.

Step 4. Drain the water add hose line.



- Step 7. Install the Flow Meter (WATER-100) in the cutout section (the sensor should fit tight).
 - 7.1. Arrow on sensor MUST go in direction of water flow—UP towards drum.
 - 7.2. Face the Flow Meter out, away from truck.
 - 7.3. Use a hose clamp (WATER-102) to fasten each end of the sensor.

Fasten hose securely to avoid leaks.



Cable Connection

Step 8. Put a dab of dielectric grease on sensor pins to help prevent corrosion.



Step 9. Connect cable (GEN-100) to sensor end:

Do not force a connection—end should slide on easily, check key alignment.

Thread lock ring onto sensor until hand tight (ring clicks slightly when locked).



General reference image only (pins may vary).

Step 10. Run cable so it does not interfere with valve handle turning or get bumped during normal operation.



4-23-24

WATER ADD UFM SENSOR WIRING

To connect sensor wiring, you need to access the Hub, generally located in dash (Rear Discharge Mixers) or on back cab wall (Front Discharge Mixers).



Route Sensor Cable and Connect it to the Hub



If you have additional sensors to install, route all the cables together, then zip tie them to the frame as a group whenever possible.

HUB

Step 1. Route sensor cable(s) to the Hub—fasten cables approx. every foot.

Important: Route cables safely-avoid moving parts, pinch points, and sharp edges. Use a grommet or bushing on pass-thru holes as needed.

- Rear Discharge Mixers: Run cable(s) through the frame rails, under the cab, through a hole in the firewall, and into the dash to connect to the Hub.
- Front Discharge Mixers: Run cable(s) through the frame rails, up the back cab wall, and pass it thru a hole into the cab to connect to the Hub.

Step 2. BEFORE cutting any cable:

- 2.1. Measure enough cable length for Hub to be removed from the dash and set aside to work on it effectively.
- 2.2. Move the color coding (tape) so the cable can still be identified after being cut.
- 2.3. Cut off any extra cable length.
- Step 3. Connect Flow Meter Sensor Cable to Hub (use GEN-100 Cable color coded for Water Add Flow Meter).

Reference Hub wire diagram on next page.

- 3.1. Black wire and white wire not used.
- 3.2. Strip remaining wires—crimp on terminals:
 - blue/gray—female terminal (GEN-101)
 - brown—male terminal (GEN-110)
- 3.3. Plug blue and gray wire into Hub, see image below.
- 3.4. Plug brown wire into power harness on Hub (HARN-PWR-002-strip one of the orange, extra power connection wires and crimp on a female terminal for use).



Step 4. Double check that all wiring connections are securely fastened.



If applicable, complete any additional sensor wiring to the Hub before testing each sensor (refer to the wiring instructions in each sensor's section).

INSTALLER VERIFICATION -

Step 1. Prepare the system for verification.

- 1.1. Make sure there is enough water in the tank for testing (min. approx. 5 gallons).
- 1.2. Turn the truck ON and if applicable, pressurize the tank.
- 1.3. Make sure the pump is enabled and ready for use.
- 1.4. Check hose connections for leaks—tighten hose clamps if needed.
- Step 2. If possible, have the tablet near you to watch the reading on-screen as water is added.

Step 3. Verify the tablet shows correct water add reading:

	DIGI	TALFLEE	T	DF+
		Vehicle#: DF3		
REGISTER				*
DigiTrack system. The driver should should never attempt to operate th DEFEND, AND HOLD HARMLESS	d only access the DigiTrack system the DigiTrack system while the moto DIGITAL FLEET LLC. FROM ANY .	Lof this motor vehicle and assumes all nargo when traffic conditions are tails, and is acc who ALL LURST, TC CLARKS DRAWCR, AC ALLURSK CONTEX CLARKS DRAWCR, AC	ordance with all applicable laws on IGITRACK SYSTEM, THE DRIVER FIONS, CAUSES OF ACTION LOSS	and regulations. The driver AGREES TO INDEMNIFY, & LIABILITY, PROPERTY
	N N	THE DIGITRACK SYSTEM.	-00	
	111	0	<	
← Back		ntly Connected: DF_Bri		
VIN: -	Device Currer		idge_DF3	
VIN: - Odometer: Chassis: -1; Engle Englne Hours: -1	Device Currer	ntly Connected: DF_Bri	idge_DF3	Dgal TRIP: 0.0gal
VIN: - Odometer: Chassis: -1; Englie Engline Hours: -1 Engline Speed: -1 Engline Speed: -1	Device Currer ne:-1; Maci Wate	ntly Connected: DF_Bri	idge_DF3 ອຸມຣາ EVENT: 0.0	0gal TRIP: 0.0gal
VIN: - Odometer: Chassis: -1; Engli Engine Hours: -1 Engine Idle Hours: -1	Device Currer ne:-1; Maci Wate	ntly Connected: DF_Briter Fressure. C r Add Cyclical:	idge_DF3 7 JPS1 EVENT: 0.0	Dgal TRIP: 0.0gal
VIN: - Odometer: Chassis: -1; Engle Engline Hours: -1 Engline Sleet -1 Current Gear: NA Fuel Level 1: -1 Fuel Level 2: -1	Device Currer ne: -1; Mad Wate	ntly Connected: DF_Bri r Add Cyclical: Chute Lock	idge_DF3 / PSI EVENT: 0.0	
VIN: - Odometer: Chassis: -1; Engle Engine Hours: -1 Engine kle Hours: -1 Engine Speed: -1 Current Gear: NA Feel Level 1: -1	Device Currer ne: -1; Mad Wate	ntly Connected: DF_Bri r Add Cyclical: Chute Lock	idge_DF3 FPSI EVENT: 0.1	
VIN: Odometer: Chassis: -1; Engle Englne Horurs: -1 Englne Horurs: -1 Englne Speed: -1 Current Gear: NA Feel Level 1: -1 Fael Level 2: -1 Brakes: Sarvice Brake: NA; 1 Coolant Level: -1 Coolant Level: -1	Device Currer ne: -1; Mad Wate	ttly Connected: DF_Bri r Add Cyclical: Chet Late: Wer Add Cyclical: Wer Add Cyclical: Brum Sensor Type:	idge_DF3 POI EVENT: 0.1	
VIN: - Odomster: Chassis: -1; Engle Engine Rours: -1 Engine Start: -1 Engine Start: -1 Engine Start: -1 Feal Level : -1 Feal Level : -1 Reakes: Service Brake: NA; 1 Coolant Level: -1 Orankcase Pressure: -1 Orankcase Pressure: -1	Device Currer ne: -1; Mad Wate	tty Connected: DF_Bri r Add Cyclical: Mar Add Cyclical: Mar Add Gdata War Add Gdata Mar Mar Chute Lada: Mar Add Gdata Mar Mar 2010	idge_DF3 POI EVENT: 0.1 PPI PPI PPI SSRNESFLEX # 250k	
VIN Odomiter: Chassis: -1: Engle Engline Hours: -1 Engline Speed: -1 Current Gear: NA Fuel Level 1: -1 Peel Level 2: -1 Peel Level 2: -1 Coolant Level: -1 Coolant Temperature: -1 Coolant Temperature: -1 Engine Oil Pressure: -1 Battery Voltage: -1	Device Currer ne: -1; Mad Wate	chus Look: Chus L	idge_DF3 FOI EVENT: 0.1 PPI PVENT: 0.0pil TRIP: 0.0pi \$.\$PRESTLEX \$.\$2000 Solution	
VIN: - Odomster: Chassis: -1; Engle Engine Rours: -1 Engine Start: -1 Engine Start: -1 Engine Start: -1 Feal Level : -1 Feal Level : -1 Reakes: Service Brake: NA; 1 Coolant Level: -1 Orankcase Pressure: -1 Orankcase Pressure: -1	Device Currer ne: -1; Mad Wate	thy Connected: DF_Brit Terr Constant - Constant Churs Lack Water Add Cyclical Orum Searce Types Hold Card Band Rath Water Add Cyclical Orum Searce Types Hold Card Band Rath Water Add Cyclical Orum Searce Types Hold Card Band Rath	idge_0F3 PD-1 EVENT: 0.1 INA EVENT: 0.0gal TRIP: 0.0g Softens Softens Softens Ener Primarry Contry	
VIN: - Odometer: Chassis: -1: Engine Engine Hours: -1 Engine Hours: -1 Engine Hours: -1 Engine Odometric Engine Office: -1 Feel Level 2: -1 Brakess Service Brake: NA; Coolant Level: -1 Coolant Temperature: -1 Engine Ol Pressure: -1 Engine Ol Pressure: -1 Feel Used (CMR): -1 Feel Used (CMR): -1 Feel Used (CMR): -1	Device Currer ne:-1; Mar Wate Wate	Antip Connected: DF_Briter T Content of the second of the	Idge_DF3 y poi EVENT: 0.0 Prot Servers: 0.0gal TRIP 0.0g Servers field e 200k Soci Primary Only Soci Primary Only Primary Only P	
VNC Odermeter: Chassis-1: Engle Englere Hours: -1 Englere Hours: -1 Englere Source: -1 Englere Source: -1 Bande Lovel 2 Declant Lovel -1 Coolant Tavel -1 Coolant Tavel -1 Englere GIP ressure: -1 Fault Used (Chick) -1 Fault Used (dienel): -1	Device Currer Mate Vate Park Brake: NA Select the truck common	thy Connected: DF_Brit Terr Constant - Constant Churs Lack Water Add Cyclical Orum Searce Types Hold Card Band Rath Water Add Cyclical Orum Searce Types Hold Card Band Rath Water Add Cyclical Orum Searce Types Hold Card Band Rath	Idge_DF3 y poi EVENT: 0.0 Prot Servers: 0.0gal TRIP 0.0g Servers field e 200k Soci Primary Only Soci Primary Only Primary Only P	



- 3.1 **Press DF+ icon** to navigate to the DF+ diagnostic screen.
- 3.2 **On diagnostic screen**—scroll down to the Water Add Cyclical reading.
 - Event reading shows a running total as water is added to the drum.
 - **Trip** reading is updated after the valve is closed to show total water amount added.
- 3.3 To test the system, add a minimum 5 gallons of water while observing the readings.
 - **Note:** By default, the system filters out any readings less than a gallon to avoid vibration noise. Reference troubleshooting section for noise filtering issues.

If **Event** reading displays an accurate running total, and **Trip** reading updates to match the water amount added, the Water Add Cyclical is verified. (*If incorrect, reference the Water Add Troubleshooting section*).

3.4 Scroll down to observe Water Meter Type—it should read UFM. (*If incorrect, contact DF*+ *Support.*)

If the reading is correct, sensor installation is verified.

WATER ADD UFM TROUBLESHOOTING -

Issue	Possible Cause	Potential Solution
Water was added, but no reading shows.	No water passing thru sensor	Water valve was turned on, but no water passes thru the sensor—make sure the tank has water in it.
		Waterlines must be drained after use when the temperature is below 40°F. Water freezing in the lines can block water flow and damage the sensor.
	Noise filtering (reading too small to display)	By default, the system is set up to filter out readings less than a gallon to help prevent vibration noise (false readings shown on the tablet).
		If the threshold is set too high, the system may not pick up all water add events—the default may need to be adjusted, contact DF+ Support.
		Recheck: Add a minimum of 5 gallons of water to the drum (to exceed any minimum threshold) to test the system again.
	 Sensor is reading all the time 	See False readings section in the Troubleshooting below.
	Parameter setting on tablet	Check the Water Sensor Type shown on the diagnostic screen—it should read UFM (reference sensor's Installer Verification instructions section, Step 3.4).
		If incorrect, contact DF+ Support.
	Open circuit/short circuit (sensor to Hub)	Make sure sensor is installed properly in the 1" water add hose going to the drum—arrow indicator on sensor MUST point in direction of water flow (reference Water Add UFM Installation section, Step 7).
		Check cable connection at sensor end —key on cable connector aligns it to the sensor pins; lock ring threads onto sensor until hand tight (see Water Add UFM Installation section, Step 9).
		Check wire connections on Hub:
		Make sure sensor cable runs into the truck cab and all connections match the appropriate wire diagram (reference Flow Meter UFM Wiring section of Water Add UFM Kit Installation Instructions).
		 Check ignition connection: Make sure brown wires are connected to orange wires of HARN-PWR-002 (ignition).
		 Make sure orange wire of HARN-PWR-002 is plugged into N1-2 (ignition) on Hub.
		Check ground connection:Make sure blue wire is connected to ground on Hub.
		 Make sure gray wire of HARN-PWR-002 is plugged into N1-4 (ground) on Hub.
		 Check Water Flow signal connection at Hub: Make sure gray wire is connected to A3 (Water Flow Signal on Hub).

Issue	Possible Cause	Potential Solution
	Open circuit (Hub to truck)	Make sure Hub is connected to chassis power, ground, and ignition (as applicable, reference Sensor Base section for the wire diagram that applies to your truck).
		Verify truck has proper fuses installed; make sure fuses are not blown.
	Damaged wiring	Inspect cable length for damage. Check sensor pins for damage—remove cable end from sensor to inspect pins. Whenever cable is disconnected, clean end and put a dab of dielectric grease on sensor pins before reconnecting.
		Visually check the cable length for damage—make sure it has not been pinched, nicked, or damaged in any way.
		Check for any type of damage, for example:
		Frayed harness or wire
		Pinched wire or harness
		Cut or exposed wire
		Burned or hot wire /// (discolored or distorted covering)
		For any damage to the wiring or plug ends, replace the cable (reference the sensor's, Installation section).
	Damaged sensor	Visually inspect the sensor. If it is cracked/leaks water, or looks physically damaged, replace the sensor (reference Water Add UFM Installation section, Step 7).
		Waterlines must be drained after use when the temperature is below 40°F. Water freezing in the lines can block water flow and damage the sensor.
False readings	Vibration issues	Make sure the sensor is not able to vibrate against any object or surface during transit or use.
		By default, the system is set up to filter out readings less than a gallon to help prevent vibration noise (false readings).
		If the threshold is set too low, the system may show false readings (readings all the time or outside of water add events)—the default may need to be adjusted, contact DF+ Support.
		If the system is not showing actual water add events, see the Noise filtering section above.
Other issues check ok, but sensor still not working.		Replace the sensor (reference Water Add UFM Kit Installation, section Step 7).

For installation or troubleshooting questions, please call DF+ Support at 630.518.4606.