DF+ Verification Tool

DigiTrack 8.10.1 or newer required

Hub Software 1.1.44 or newer required

Open the DF+ menu screen by pressing the DF+ icon in the upper right corner.



Open the update tool by pressing the DF+ VERIFICATION button.





Enter in your login pin and touch the LOGIN button to continue.

Depending on the configuration of the truck, the next screen will show

the DF+ Devices to be verified. If you do not have this option on your truck, you may delete one of the sensors.



Touch the Trash Can to delete the Sensor. When finished, Touch the "X" in the bottom of the screen.



If you do not see a sensor that has been installed on your truck, you may add it. Touch the "+" button.

÷	DF+	Verificati	on -			
			:::	DigitalFleet+ Bridge with HUB	Verification Required	
			¢	DF+ Drum Rotation	Verification Required	
			<u></u>	IFM Water Add	Verification Required	
						0

Scroll through the sensor options, if you need to add one, just touch the appropriate sensor. It will be added and you will go back to the previous screen.

ensor
▶ UFM Water Add
ጎ* DF+ Water Wash
C: DF+ Drum Charge Pressure
C: Eaton Quad Drum Rotation
C: FLEX Drum Rotation
C: ELITE Drum Rotation
C: FLEX Drum Charge Pressure



If information is accurate to your chassis, press YES. If not, touch the wrench icon, in the lower right corner.

÷	OF+	Verify Engine Data			
			Heartbe	at: 07:39:50	
			Vin:	1NKWK00X98H423998	
			Odometer: 35689	Engine Speed: 801	
			Is the data displa	yed above accurate? /ES	

Touch DigitalFleet+ Bridge with Hub

If you select the wrench icon, this screen will appear. You may choose the best option for your truck. Touch the back arrow to go to the previous screen. You need to touch "YES" to continue on to verify Engine Data.

÷	DF+ Troubleshoot Options					
	Select the Odometer option that is the closet match to the Truck's dashboard					
			 Controller (Preferred Source) 123304.27757240999 Engine 0.0 Cluster 			
			Select baud rate			
			 250 500 			

DigitalFleet+ Bridge with Hub is now Verified.

÷	OF+	Verificati	on -		
			DigitalFleet+ Bridge with HUB	Verified	
			Ċ: DF+ Drum Rotation		
			À IFM Water Add		
					•



With the truck running, put the Drum in Charge, then touch the Verify.



Touch DF+ Drum Rotation.



With the truck running, put the Drum in DisCharge, then touch the Verify.





Verify the Drum RPM is accurate, then touch VERIFY.



Drum Charge is now Verified.



Drum RPM is now Verified.

DF+ Drum Rotation is now Verified.

← DF+	Verification -			
		DigitalFleet+ Bridge with HUB	Verified	
	¢	DF+ Drum Rotation	Verified	
	\$.	IFM Water Add	Verification Required	
				0
				•

To verify IFM Water Add, begin by adding water to the drum, then touch the IFM Water Add.



Touch the Complete Verification button to finalize the process. Use the back arrow to go back.





Use the back arrow to get back to the main screen.

Main Screen.

